

# XQ - LITE

## MPEG - 4

### D1 Real-Time Recording



# XQ - Lite

## ◆ Main Features

Max D1@  
100 recording

2EA  
USB 2.0

1 SPOT



Compatible  
with XQ series

Max.  
2 HDD



Setup mode



Live mode



Search mode

## ◆ Specification

XQ - Lite		
Video In	4CH	
Video Display	1/4 Ch Split	
Monitor Out	1 CH Compiste	
VGA Out	1 Ch	
Spot Out	1 Ch	
Audio In / Out	4 In / 1 Out	
Audio Compression	G.723	
Display Resolution	720 X 576 ( PAL )	
Recording Resolution	720 x 576, 720 x 288, 360 x 288 ( PAL )	
Video Compression	Mpeg4 Level 1,2,3	
Display Frame	NTSC	120fps
	PAL	100fps
Recording Frame	NTSC	120fps
	PAL	100fps
OS	Embedded Linux	
Network	10/100 Base T(1EA)	
USB	USB 2.0(Front 1EA, Rear 1EA)	
EIDE	2CH(MAX 2EA HDD+ 1DVD-RW)	
Console	RS232C	
PTZ	RS485	
Alarm Functon	4 In / 1 Out	
Front Key	33 Key	
Remote Controller	ID support(option)	
Watch Dog	Yes	
Front LED	Power,Network,HDD	
Dimension	359(W) X 390(D) X 70(H) mm	

\* The specifications are subject to change without prior notice for the products improvement.